

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1527	residential gateway	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L2	131	residential gateway and (address or rout\$5) near2 table	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L3	333	edge switch and (address or rout\$5) near2 table	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L4	199	edge switch and (address or rout\$5) near2 table and @ad< "20021115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L5	93	edge switch and (address or mac) near2 table and @ad< "20021115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L6	71	voip near3 analog near3 adapter	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L7	304	voip near3 adapter	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L8	30	((address or rout\$5) near2 table) and (voip near3 adapter)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L9	9110	(gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

L10	3775	(gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L11	1430	gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L12	100	gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table) and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L13	3	(voip near2 gateway) and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table) and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L14	13	voip and gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table) and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L15	4	"2002054589"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L16	3	"20020054589"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L17	7	"2359222"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L18	9	(SUBRAMANIAN and RAMAKRISHNAN).in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L19	58	(george and deepak).in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L20	29398	infineon.as.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

L21	4533	infineon.as. and @pd< "20011115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L22	2100	(learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L23	559	gateway and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L24	302	gateway and (address near2 table) and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L25	186	gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near2 table) and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L26	14	L25 and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L27	3820	709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L28	383	709/238.ccls. and L9	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L29	135	709/238.ccls. and L9 and (rout \$4 with destination with table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L30	1102	layer "2" (switch or router or gateway)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L31	261	L30 and ((map\$6 or associat \$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

L32	271	(unknown or unrecognized) near2 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L33	227	L32 and (gateway or switch or router)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L34	89	L33 and ((map\$6 or associat \$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L35	112	(unknown or unrecognized) near4 destination near4 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L36	25	L35 and "709".cls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L37	633	voip near2 (handset or apparatus)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L38	121	voip near2 (handset or apparatus) and @ad< "20021115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L39	40	voip near2 (handset or apparatus) and @ad< "20021115" and microphone and speaker	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L40	29	voip near2 (handset or apparatus) and @ad< "20021115" and microphone and speaker and ethernet	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L41	6806	709/238,249,250.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L42	592	L41 and (gateway or switch or router) and ((map\$6 or associat \$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

L43	544	L41 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L44	28	L41 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP) and (layer "2" (switch or router or gateway))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L45	4110	"370".clas. and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L46	12653	370/349,401,474.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L47	874	L46 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L48	35	L46 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP) and (layer "2" (switch or router or gateway))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L49	17276	370/349,392,401,474.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L50	1238	L49 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L51	67	L49 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP) and (layer "2" (switch or router or gateway))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L52	271	(unknown or unrecognized) near2 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

L53	33	(internet port) same router	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L54	83401	(first or single) adj2 port	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L55	521	L54 and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L56	388	L55 and (@rlad<="20021115" or @ad<="20021115" or @pd<="20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L57	17	(mac address) near5 (external port)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L58	11787	external adj2 port	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L59	1058	(external adj2 port) with (switch or router)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L60	20	L59 and (mac near2 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L61	3919	subramanian.in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L62	212337	george.in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L63	4999	mohamed.in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

L64	8	(L61 or L62 or L63) and (switch and MAC and address and table).clm.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L65	3461	709/220.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L66	2334	L65 and (@rlad<="20021115" or @ad<="20021115" or @pd<="20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L67	24	L66 and (mac near2 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13
L68	36	L66 and (mac near2 (table or list or database))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/17 18:13

11/17/2008 6:16:10 PM

C:\Documents and Settings\ssciacca\My Documents\EAST\Workspaces\10535172 - Reducing memory requirements of a switch.wsp